

INDEX MAPS.

T. 14N, R. 2E. 2nd Mer.

	7	6	6	6	5	5						
9	6	29	5	24	4	20	3	17	2	13	1	5
	29		29		24		20		16		12	
9	7	28	8	23	9	20	10	16	11	12	12	4
	28		28		23		19		16		12	
8	18	27	17	23	16	19	15	15	14	11	13	4
	27		27		22		19		15		11	
8	19	26	20	22	21	18	22	14	23	11	24	3
	26		26		22		18		14		10	
7	30	25	29	21	28	18	27	14	26	10	25	3
	25		25		21		17		13		10	
7	31	24	32	21	33	17	34	13	35	9	36	3
	2		2		2		1		1		1	

T. 15N, R. 2E. 2nd Mer.

	37	37	36	36	35	35						
39	6	59	5	54	4	50	3	46	2	43	1	35
	59		59		54		50		46		42	
39	7	58	8	53	9	49	10	46	11	42	12	34
	58		58		53		49		45		42	
38	18	57	17	53	16	49	15	45	14	41	13	34
	57		57		52		48		45		41	
38	19	56	20	52	21	48	22	44	23	41	24	34
	56		56		52		48		44		40	
38	30	55	29	51	28	47	27	44	26	40	25	33
	55		55		51		47		43		40	
37	31	54	32	50	33	47	34	43	35	39	36	33
	32		32		32		31		31		31	

☞ The figures on the lines refer to the page.

31

Township N. 15 North, Range N. 2 East 2. Mer. Indian

South Boundary

Met On S. boundary of Sec. 36, T15N. R2E.
23.53 an Ash 14 in. dia.

40.00 At the q. Sec. post, from which
a Beech 8 in. dia. bear N 72° W 24 lks. dist. &
a Do 10 " " " S 72° E 23 " "

56.86 a Beech 14 " " in the line

63.50 a Brook 10 lks. wide Cr. S. E.

80.00 At a post cor. to Sec. 35 & 36, from which
a Beech 10 in. dia. bear North 12 lks. dist. &
a Poplar 60 " " " S 29° W 9 " "
Over good farming land, timber Beech, Sugar
ash, underg. Spruce &c.

Met On S. boundary of Sec. 35, T15N. R2E.

14.90 an Elm 30 in. dia. in the line

40.00 At the q. Sec. post from which
a Beech 12 in. dia. bear N 79° E 14 lks. dist. &
a Do 10 " " " S 76° W 12 " "

41.50 a Brook 6 lks. wide Cr. S. E.

55.45 an Elm 18 in. dia. in the line

80.00 At a post cor. to Sec. 34 & 35, from which
a Beech 12 in. dia. bear N 82° E 37 lks. dist. &
a Sugar 16 " " " S 59° W 17 " "
Over good farming land, timber Beech, Oak,
Sugar &c.

Met On S. boundary of Sec. 34, T15N. R2E

18.45 an Ash 12 in. dia. in the line

40.00 At the q. Sec. post, from which
a W. Oak 36 in. dia. bear S 72° E 30 lks. dist. &
a Beech 10 " " " N 72° W 20 " "

80.00 At a post cor. to Sec. 33 & 34, from which

T44st R2E, 2nd Mer. Indiana

a Beech 12 in. dia. bran N64E 14 lks. dist. of
 a do 8 " " " N52W 10 " "
 Over level land, timber Hickory, Ash, Oak &c.

West On S. boundary of Sec. 33, T15N. R2E.
 25.70 a Spanish Oak 30 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Sugar 10 in. dia. bran S50E 15 lks. dist. of
 a Hickory 18 " " " N57W 48 " "
 70.17 a Sugar 12 " " in the line
 80.00 Let a post Cor. to Sec. 32 & 33, from which
 a Walnut 30 in. dia. bran S23E 45 lks. dist. of
 a Sugar 19 " " " N23E 22 " "
 Over good farming land, timber Oak, Sugar, Ash
 &c. undergth Spruce.

West On S. boundary of Sec. 32, T15N. R2E
 23.50 a Creek 50 lks. wide Cr. S.
 40.00 Let the q. Sec. post from which
 a Beech 18 in. dia. bran N10E 44 lks. dist. of
 a do 8 " " " S59W 16 " "
 53.00 a Brook 7 lks. wide Cr. S.E.
 59.26 a Beech 20 in. dia. in the line
 80.00 Let a post Cor. to Sec. 31 & 32, from which
 a Beech 8 in. dia. bran N74E 35 lks. dist. of
 a Sugar 16 " " " S74W 40 " "
 Over good farming land, timber Oak, Sugar, Beech &c.
 undergth Spruce.

West On S. boundary of Sec. 31, T15N. R2E.
 14.60 a Beech 15 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Hickory 11 in. dia. bran S31W 10 lks. dist. of

N 46° 19' E 2^d Mer. Indiana

a Sugar 12 in. dia. beam N 46° 19' E 19 lks. dist.
 68.00 Intersected the N & S. line between Ranges 18 & 20 E.
 Town 14 & 15 N. at the Corner. Aug. 12. 1819

East Boundary ran. E. 00° E
 North On E. boundary of Sec. 36, T 15 N. R 20 E.
 15.03 a Beech 14 in. dia. in the line
 29.50 a Brook 3 lks. wide Cr. E.
 38.85 a do 3 " " " E.
 40.00 Let the q. Sec. post, from which
 a Sugar 13 in. dia. beam S 35° 11' 43" E. dist. 5
 a Hickory 13 " " " N 32° E 30 " "
 63.75 a Sugar 14 " " in the line
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Sugar 14 in. dia. beam N 12° E 16 lks. dist. 5
 a do 10 " " " S 79° W 17 " "
 Over rich land timber Beech, Sugar, Ash &c.
 underg^d. Spice &c

North On E. boundary of Sec. 25, T 15 N. R 20 E.
 3.60 a Brook 3 lks. wide Cr. E.
 32.90 a Beech 18 in. dia. in the line
 37.40 a Creek 20 lks. wide Cr. E.
 40.00 Let the q. Sec. post, from which
 a Beech 22 in. dia. beam N 41° 11' 22" E. dist. 5
 a do 18 " " " N 10° E 24 " "
 64.55 a Sugar 14 " " in the line
 78.00 a Brook 7 lks. wide Cr. E.
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 a Sugar 10 in. dia. beam S 29° E 30 lks. dist. 5
 a do 10 " " " N 30° W 13 " "
 Over rich land timbered as before

T15N. R2E. 2nd. Mer. Indiana

North On E. boundary of Sec. 24, T15N. R2E
19.45 a Beech 18 in. dia. in the line

40.00 Let the q. Sec. post, from which
a Beech 24 in. dia. bran S49E 34 lks. dist. of
a — 18 " " " N30W 24 " "

67.00 a Spanish (Oak) 40 in. dia. in the line

80.00 Let a post Cor. to Sec. 13 of 24, from which
a Beech 12 in. dia. bran N30E 24 lks. dist. of
an Oak 10 " " " S13E 25 " "
Over rich land timber as before

North On E. boundary of Sec. 13, T15N. R2E.

6.00 a Brook 6 lks. wide Cr. E.

16.50 a Do 6 " " " E.

24.35 an Ash 14 in. dia. in the line

40.00 Let the q. Sec. post, from which
an Ash 10 in. dia. bran S7W 37 lks. dist. of
a Maple 15 " " " N81E 9 " "

74.90 an Oak 36 " " in the line

80.00 Let a post Cor. to Sec. 12 of 13, from which
a Hickory 8 in. dia. bran S27E 14 lks. dist. of
a Walnut 20 " " " N37W 17 " "
Over rich land timber Oak, ash &c.

North On E. boundary of Sec. 12, T15N. R2E.

16.25 a Brook 8 lks. wide Cr. E.

35.85 a Beech 14 in. dia. in the line

40.00 Let the q. Sec. post, from which
a Beech 10 in. dia. bran N27E 6 lks. dist. of
a Sugar 12 " " " N81W 17 " "

50.80 a Beech 20 " " in the line

80.00 Let a post Cor. to Sec. 14 of 12, from which
a Beech 18 in. dia. bran S31W 20 lks. dist. of

T15N R2E, 2^d Mer. Indiana

a Sugar 12 in. dia. bran N12E 18 lks. dist. of
Over rich land timber as before.

North On E. boundary of Sec. 1, T15N, R2E.

3.80 an ash 22 in. dia. in the line

40.00 Let the q. Sec. post, from which
a Hickory 13 in. dia. bran S7E 32 lks. dist. of
a Syc 14 " " " N39W 13 " "

46.50 a Creek 150 lks. wide Cr. S.E.

80.70 Let a post Cor. to Township, N. 15 & 16 N, Range
N. 2 & 3 E. from which
a Hornbeam 10 in. dia. bran N47W 27 lks. dist. of
a Beech 18 " " " S55W 25 " "
August 11th 1819

North Boundary. var. 6° 30' E.

West On S. boundary of Sec. 36, T16N, R2E.

33.15 a Buckeye 9 in. dia. in the line

37.00 a Creek 150 lks. wide Cr. S.E.

40.00 Let the q. Sec. post from which
a W. Oak 20 in. dia. bran N45W 4 lks. dist. of
a Beech 6 " " " S45E 7 " "

44.62 a W. Oak 48 " " in the line

80.00 Let a post Cor. to Sec. 35 & 36, T16N, R2E, from which
a W. Ash 21 in. dia. bran N62E 30 lks. dist. of
a W. Oak 16 " " " S68W 18 " "

Good farming land, Buck, Sugar, W. Oak, Hickory,
Buckeye, Walnut &. waldgth Spruce, pear, paw &. dogwood

West On S. boundary of Sec. 35, T16N, R2E.

6.28 a Beech 24 in. dia. in the line

40.00 Let the q. Sec. post, from which
a Sugar 20 in. dia. bran N32W 12 lks. dist. of

T5N R2E 2^d Mer. Indiana

a Buckeye 7 in. dia. bray S 12 W 18 lbs. dist.
 65.10 a Hickory 16 " " in the line
 71.50 a Branch 10 lbs. wide Cr. S. E.
 80.00 Let a post Cor. to Sec. 34 & 35, T5N, R2E, from which
 a W. Oak 20 in. dia. bray N 40 E 3 lbs. dist. of
 an Elm 6 " " " S 12 E 21 " "
 Good farming land, timber as before, undg. Hazel.

West On S. boundary of Sec. 34, T5N, R2E
 4.84 an Elm 25 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 an Ash 7 in. dia. bray S 15 W 11 lbs. dist. of
 a do 9 " " " S 19 W 23 " "
 52.57 a Sugar 20 " " in the line
 80.00 Let a post Cor. to Sec. 33 & 34, T5N, R2E, from which
 a W. Oak 10 in. dia. bray S 81 W 19 lbs. dist. of
 a W. Oak 6 " " " S 86 E 15 " "
 Timber as on the last, undg. Hazel, Spruce, poplar.

West On S. boundary of Sec. 33, T5N, R2E.
 9.37 a W. Oak 30 in. dia. in the line
 11.50 a Creek 30 lbs. wide Cr. S. W.
 40.00 Let the q. Sec. post, from which
 a Walnut 6 in. dia. bray S 4 W 3 lbs. dist. of
 a W. Oak 9 " " " S 4 E 8 " "
 62.97 a W. Oak 40 " " in the line
 71.50 a Branch 15 lbs. wide Cr. S. W.
 80.00 Let a post Cor. to Sec. 32 & 33, T5N, R2E, from which
 a Blue Ash 18 in. dia. bray N 70 E 4 lbs. dist. of
 a Beech 8 " " " S 84 W 24 " "
 Good farming land, Beech, Sugar, Elm, Ash, W. Oak
 Hickory, Poplar, Walnut, Lymite. Aug. 12th, 1819

T15 N R2 E, 2^d Mer. Indiana

West On S. boundary of Sec. 32, T16 N, R2 E.
 40.00 At the q. Sec. post, from which
 a Sugar tree 16 in. dia. bran S 5 E 3 lks. dist. of
 a Beech 7 " " " N 15 W 10 " "
 57.60 a Hickory 12 " " in the line
 80.00 At a post Cor. to Sec. 31 & 32, T16 N, R2 E, from which
 a Sugar 16 in. dia. bran N 78 E 2 1/2 lks. dist. of
 an Elm 40 " " " S 45 W 43 " "
 Level 2^d rate land, Beech, Sugar, Oak, Hickory
 ash, Elm &c. undergth Spruce & hemlock

West On S. boundary of Sec. 31, T16 N, R2 E.
 18.31 a W. Ash 25 in. dia. in the line
 40.00 At the q. Sec. post, from which
 a Beech 10 in. dia. bran S 61 E 9 lks. dist. of
 a Hickory 12 " " " N 56 W 11 " "
 47.03 a Beech 18 " " in the line
 71.20 Intersected the N & S. line at the post Cor.
 to Town 15 of N. 16 N, Range 1 of 2 E.
 Good farming land Beech, Sugar, Walnut, Elm
 Oak, Hickory, little undergth.

West Boundary. var. 6° 10' E
 North On E. boundary of Sec. 36, T15 N, R1 E.
 22.00 an Oak 24 in. dia. in the line
 40.00 At the q. Sec. post from which
 a Beech 10 in. dia. bran S 17 W 32 lks. dist. of
 a do 13 " " " S 43 E 18 " "
 56.75 a Hickory 18 " " in the line
 77.00 at Brook 10 lks. wide E. of N. E.
 80.00 At a post Cor. to Sec. 25 & 36, T15 N, R1 E, from which
 a Buckeye 8 in. dia. bran S 34 W 14 lks. dist. of
 a Sugar 13 " " " N 32 E 22 " "

T5. N. R2 E. 2. Mer. Indiana

Over level land, timber Hickory Oak &c

North On E. boundary of Sec. 25, T5. N. R1 E.

21.85 a Beech 15 in. dia. in the line

40.00 Set the q. Sec. post, from which
an Elm 20 in. dia. bears S 8 E 51 lks. dist. of
a Hornbeam 7 " " " N 36 W 10 " "

62.24 a Hickory 20 " " in the line

80.00 Set a post Cor. to Sec. 24 & 25, T5. N. R1 E. from which
a Cherry 12 in. dia. bears N 43 W 25 lks. dist. of
a Hickory 14 " " " N 47 E 33 " "

Over good farming land, timber as before

North On E. boundary of Sec. 24, T5. N. R1 E.

25.95 a Beech 16 in. dia. in the line

40.00 Set the q. Sec. post, from which
an Oak 6 in. dia. bears S 27 W 18 lks. dist. of
an Ash 10 " " " N 42 E 25 " "

55.80 an Aspen 12 " " in the line

80.00 Set a post Cor. to Sec. 13 & 24, T5. N. R1 E. from which
a Beech 24 in. dia. bears N 28 W 32 lks. dist. of
a Do 18 " " " - 78 E 12 " "

Over land & timber as before.

North On E. boundary of Sec. 13, T5. N. R1 E.

35.00 a Spanish Oak 24 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Beech 9 in. dia. bears East 12 lks. dist. of
a Sugar 10 " " " N 46 W 9 " "

45.45 a Beech 14 " " in the line

80.00 Set a post Cor. to Sec. 12 & 13, T5. N. R1 E. from which
a Beech 12 in. dia. bears S 28 E 13 lks. dist. of
a Do 16 " " " N 33 W 7 " "

N 15 N. R 2 E. T. Mer. Indiana

Over rich land same as before

North On E. boundary of Sec. 12, T 15 N. R 1 E.

15.35 a Beech 13 m. dist. in the line

40.00 Set the q. Sec. post, from which

a Beech 9 m. dist. bear N 19 E 27 lks. dist. of

a do 15 " " " N 45 W 6 " "

66.30 a Beech 14 " " in the line

80.00 Set a post Cor. to Sec. 1, 12, T 15 N. R 1 E, from which

a Hornbeam 6 m. dist. bear S 9 E 25 lks. dist. of

an Ash 18 " " " N 9 W 17 " "

Over land timber &c. same as last mile

North On E. boundary of Sec. 1, T 15 N. R 1 E

40.00 Set the q. Sec. post, from which

a Beech 13 m. dist. bear S 32 W 11 lks. dist. of

a ——— 8 " " " N 54 E 55 " "

46.30 a Lyrus 18 " " in the line

81.71 Set a post Cor. to Township, N. 15, 16 North

Ranges N. 1, 2 E. from which

a Beech 8 m. dist. bear N 54 E 8 lks. dist. of

an Ash 20 " " " S 20 W 6 " "

Land timber &c. same as on the last mile

Surveyed by John M. McDonald, L. S.

Subdivision.

North Between Sec. 35 & 36, T 15 N. R 2 E.

37.50 a Beech 12 m. dist. in the line

40.00 a Beech 10 m. dist. q. Cor. from which

a Beech 12 m. dist. bear N 57 E 52 lks. dist. of

a do 14 " " " S 43 W 27 " "

65.97 a Hickory 14 " " in the line

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which

S 15 N R 2 E, 2^d Mer. Indiana

a Sugar 5 m. dia. bray N 11 E 23 lks. dist. of
 at Beech 14 " " " S 41 W 20 " "
 Land 2^d rate, Beech, Oak, Poplar Sugar &c.

East On Random between Sec. 25 & 36

40.00 Set temp. of Sec. post

80.37 Intersected the E. boundary 25 lks. S. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 25 & 36, S 15 N R 2 E

40.18 1/2 Set of Sec. post at average dist. from which
 a Beech 14 m. dia. bray S 57 E 12 lks. dist. of
 a do 13 " " " S 61 W 54 " "

80.37 to Sec. Corner July 26, 1820

North Between Sec. 25 & 26, S 15 N R 2 E.

28.85 at Beech 14 m. dia. with the line

40.00 Set the of Sec. post, from which

a Beech 14 m. dia. bray N 71 W 24 lks. dist. of
 a do 18 " " " N 80 E 51 " "

53.12 a Sugar 20 " " with the line

80.00 Set a post cor. to Sec. 23, 24, 25 & 26, from which

a Beech 18 m. dia. bray N 56 E 22 lks. dist. of
 a do 12 " " " S 66 W 38 " "

Land 2^d rate, Beech, Oak, Poplar &c.

East On Random between Sec. 24 & 25, S 15 N R 2 E.

40.00 Set temp. of Sec. post

81.50 Intersected the E. boundary 74 lks. N. of post.
 Land 2^d rate

West On true line betw. Sec. 24 & 25, S 15 N R 2 E.

40.75 Set of Sec. post at average dist. from which

T15N R2E, 2^d Mer. Indiana

a Beech 20 m. diam. bearing N43W 10 lks. dist. of
 a Hickory 18 " " " S38E 14 " "
 81.50 to Sec. Cor.

North & Between Secs. 23 & 24, T15N, R2E.
 22.11 at Beech 24 m. diam. in the line
 40.00 Set the q. Sec. post, from which
 a B. Oak 20 m. diam. bearing N12E 24 lks. dist.
 a Beech 12 " " " S18W 18 " "
 50.11 an Ash 12 " " in the line
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Sugar 18 m. diam. bearing S76E 11 lks. dist. of
 a Beech 12 " " " S72W 5 " "
 Land 2^d rate Beech, Sugar, Oak & thick brush

East On Random between Secs. 13 & 24, T15N, R2E
 40.00 Set temp. q. Sec. post
 82.00 Intersected the E. boundary 3 lks. S. of post.
 Land 2^d rate,

West On true line between Secs. 13 & 24, T15N, R2E.
 41.00 Set the q. Sec. post at average dist. from which
 an Elm 7 m. diam. bearing S67W 14 lks. dist. of
 a Beech 20 " " " N32E 47 " "
 82.00 to Sec. Corner.

North & Between Secs. 13 & 14, T15N, R2E.
 12.17 at Beech 14 m. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 10 m. diam. bearing N10W 30 lks. dist. of
 a Ho 14 " " " S40E 3 " "
 51.19 an Ash 14 " " in the line
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which

T15 N. R2 E. 2^d. Mer. Indiana

a Sugar 12 in. dia. bray N59 E 22 lks. dist. of
 an Elm 4 " " " S75 W 12 " "
 Land 2^d. rate Beech, Oak, Ash &c.

East On Random between Sec. 12 & 13, T15 N. R2 E.

40.00 Set temp. of Sec. post

82.50 Intersected the E. boundary 2 lks. N. of post

Land 2^d. rate Beech, Oak, Sugar &c.

West On true line between Sec. 12 & 13, T15 N. R2 E.

41.25 Set of Sec. post at average dist. from which

an Ash 4 in. dia. bray N19 W 2 lks. dist. of

a Elm 6 " " " S28 E 2 " "

82.50 to Sec. Corner, July 26, 1820

North Between Sec. 11 & 12, T15 N. R2 E.

22.55 a W. Oak 30 in. dia. in the line

40.00 Set the of Sec. post, from which

a Beech 14 in. dia. bray N15 E 8 lks. dist. of

a Walnut 10 " " " S27 W 33 " "

58.36 a Beech 12 " " in the line

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

a Sugar 14 in. dia. bray N14 E 40 lks. dist. of

a Beech 7 " " " S54 W 31 " "

Land 2^d. rate, Beech, Oak, Sugar, Walnut &c

East On Rand. betw. Sec. 11 & 12, T15 N. R2 E.

40.00 Set temp. of Sec. post

82.65 Intersected the E. boundary 4 lks. S. of post

Land timber &c. same as on the last mile

West On true line betw. Sec. 11 & 12, T15 N. R2 E.

41.32 1/2 Set of Sec. post at average dist. from which

T15 N. R2 E. 2^d Mer. Indiana

a Buckeye 10 in. dia. bray N 82° W 16 lks. dist. of
 a Beech 8 " " " S 75° E 19 " "
 82.65 to Sec. Corner

North Between Sect. 1 & 2, T15 N. R2 E.
 34.27 a Beech 20 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Sugar 10 in. dia. bray S 74° W 43 lks. dist. of
 a Do 4 " " " N 69° E 21 " "
 58.80 a Hickory 20 " " in the line
 81.68 Intersected the N. boundary 200 lks. N. of post
 Let a post Cor. to Sect. 1 & 2, from which
 a Beech 12 in. dia. bray S 6° W 13 lks. dist. of
 an Ironw. 4 " " " N 14° W 7 " "
 Land 2^d rate, Beech, Oak, Sugar & brush

North Between Sect. 34 & 35, T15 N. R2 E.
 17.19 a Beech 14 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Beech 20 in. dia. bray N 15° E 27 lks. dist. of
 a Do 12 " " " N 87° W 18 " "
 68.00 a W. Oak 36 " " in the line
 80.00 Let a post Cor. to Sect. 26, 27, 34 & 35, from which
 a W. Oak 5 in. dia. bray N 81° W 20 lks. dist. of
 a Beech 14 " " " S 55° E 26 " "
 Land 2^d rate, Beech, Oak, Sugar &c

East On Rand. between Sect. 26 & 35, T15 N. R2 E.
 40.00 Let temp. q. Sec. post
 79.50 Intersected the N. S. line 34 lks. S. of the post
 Land 2^d rate, Beech, Oak &c.

West On true line betw. Sect. 26 & 35, T15 N. R2 E.

T¹⁵ N. R² E. T¹ Mer. Indiana

39.75 let q^r. Sec. post at avg^d. dist. from which
 a Beech 14 mi. dist. bear N⁷ E 16 lks. dist. of
 a do 18 " " " S²⁰ W¹² " "
 79.50 to Sec. Corner.

North Between Sec^s. 26 & 27, T¹⁵ N. R² E.

35.25 a Beech 10 mi. dist. in the line
 40.00 let the q^r. Sec. post, from which
 a Beech 14 mi. dist. bear N²⁸ W⁴³ lks. dist. of
 a Sugar 14 " " " S²³ E³⁰ " "
 68.50 a Beech 14 " " in the line
 80.00 let a post cor. to Sec^s. 22, 23, 26 & 27, from which
 a Beech 18 mi. dist. bear N³⁷ W³⁷ lks. dist. of
 a do 20 " " " S³⁷ W³⁰ " "
 Land 2^d. rate, Beech, Oak, Sugar &c.

East On Rand^m. betwⁿ. Sec^s. 23 & 26, T¹⁵ N. R² E.

40.00 let temp^y. q^r. Sec. post
 80.00 Intersected the N & S. line 55 lks. N. of the post
 Land 2^d. rate timber as before

West On true line betwⁿ. Sec^s. 23 & 26, T¹⁵ N. R² E.

40.00 let q^r. Sec. post at average dist. from which
 a Beech 20 mi. dist. bear N⁷⁵ W¹² lks. dist. of
 a Hickory 18 " " " S⁴⁸ E⁴³ " "
 80.00 to Sec. Corner.

North Between Sec^s. 22 & 23, T¹⁵ N. R² E

17.70 a Beech 14 mi dist. in the line
 40.00 let the q^r. Sec. post, from which
 an Ash 10 mi. dist. bear N⁴⁰ W²⁴ lks. dist. of
 a Hickory 10 " " " S¹⁹ E¹¹ " "
 56.65 an Elm 36 " " in the line

T5 N R2 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
a Dogwood 8 mi. dist. bearing S61 E 10 lks. dist. of
a P. Walnut 8 " " " S60 W 5 " "
Land 2^d rate Beech, Sugar &c. July 27th 1820

East On Random betwⁿ Sec. 14 & 23, T5 N, R2 E.

40.00 Set temp^y. of Sec. post

80.28 Intersected the N & S. line 28 lks. S. of the post
Land 2^d ^{rate} Beech, Oak, Sugar, W. Ash &c.

West On true line betwⁿ Sec. 14 & 23, T5 N, R2 E.

40.14 Set of Sec. post at average dist. from which
a Beech 12 mi. dist. bearing S50 W 13 lks. dist. of
a Do 12 " " " S65 E 22 " "

80.28 to Sec. Corner.

North Between Sec. 14 & 15, T5 N, R2 E.

7.95 a P. Oak 24 mi. dist. in the line

40.00 Set the of Sec. post, from which
a W. Oak 18 mi. dist. bearing N5 E 35 lks. dist. of
a Sugar 10 " " " S31 W 34 " "

47.40 a W. Oak 24 " " in the line

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
a W. Oak 14 mi. dist. bearing N24 E 38 lks. dist. of
a Do 14 " " " S22 W 27 " "
Land 2^d rate Oak, Beech, Hickory &c.

East On Rand^m betwⁿ Sec. 11 & 14, T5 N, R2 E.

40.00 Set temp^y. of Sec. post

80.70 Intersected the N & S. line 10 lks. N. of post
Land 2^d rate, Beech, Oak, Hickory &c

West On true line betwⁿ Sec. 11 & 14, T5 N, R2 E.

T15 N. R2 E. 2^d. Mo. Indiana

40.35 Set of Sec. post at average dist. from which
a Sugar 12 in. dia. beam N 5 W 18 lks. dist. of
an Acorn 4 " " " S 10 E 15 " "
80.70 to Sec. Corner.

North Between Sec. 10 & 11, T15 N. R2 E.

10.45 a W. Oak 36 in. dia. in the line

40.00 Set the of. Sec. post, from which
a Hickory 4 in. dia. beam N 44 E 14 lks. dist. of
an Aspen 14 " " " S 37 W 25 " "

56.60 an Elm 14 " " in the line

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
a W. Oak 10 in. dia. beam N 70 E 10 lks. dist. of
a do 18 " " " N 77 W 25 " "
Land 2^d rate Oak, Beech, Aspen, Hickory &c.

East On Random between Sec. 2 & 11, T15 N. R2 E.

40.00 Set temp. of. Sec. post

81.00 Intersected the N & S. line 48 lks. N. of the post
Land timber &c. Same as on the east mile

West On true line, between Sec. 2 & 11, T15 N. R2 E.

40.50 Set of. Sec. post, at average dist. from which
a Hickory 12 in. dia. beam S 80 W 32 lks. dist. of
a W. Oak 36 " " " N 64 E 14 " "

81.00 to Sec. Corner.

North Between Sec. 2 & 3, T15 N. R2 E.

33.50 a Hickory 14 in. dia. in the line

40.00 Set the of. Sec. post, from which
a Lym 10 in. dia. beam N 76 W 25 lks. dist. of
a W. Oak 12 " " " S 65 E 26 " "

52.05 a Sugar 14 " " in the line

T15N R2E, 2^d. Mer. Indiana

81.79 Intersected the N. boundary 310 lks. N. of post
 Let a post Cor. to Sec. 1, 2 & 3, from which
 a Sugar 10 m. dia. bran N 70 E 5 lks. dist. &
 a Beech 6 " " " N 67 W 10 " "
 (Description omitted)

North Between Sec. 1, 33 & 34, T15N, R2E.

17.05 a Hickory 14 m. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Beech 14 m. dia. bran N 47 E 15 lks. dist. &
 a do 10 " " " N 89 W 14 " "
 55.50 a Beech 12 " " in the line
 80.00 Let a post Cor. to Sec. 1, 27, 28, 33 & 34, from which
 a Beech 14 m. dia. bran N 49 W 21 lks. dist. &
 a do 16 " " " N 50 E 38 " "
 Land 2^d. rate Beech, Oak & Ash

East On Rand. betw. Sec. 1, 27 & 34, T15N, R2E.

40.00 Let temp. q. Sec. post
 80.25 Intersected the N & S. line 20 lks. N. of Corner
 Land 2^d. rate Oak, Beech, Ash, Sugar &c.

West On true line between Sec. 1, 27 & 34, T15N, R2E.

40.12 1/2 Let q. Sec. post at average dist. from which
 a Beech 14 m. dia. bran N 69 W 52 lks. dist. &
 a do 4 " " " N 77 E 24 " "
 80.25 to Sec. Corner July 28th, 1820

North Between Sec. 1, 27 & 28, T15N, R2E.

18.32 a W. Walnut 14 m. dia. in the line
 40.00 Let the q. Sec. post, from which
 a W. Oak 10 m. dia. bran N 57 E 10 lks. dist. &
 a Hickory 12 " " " N 64 W 26 " "

T5. N. R2 E. 2^d. Mer. Indiana

51.90 at Beech 14 in. dia. in the line
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 14 in. dia. bears N 12 E 10 lks. dist. of
 a do 14 " " " S 50 E 65 " "
 Land 2^d. rate Beech, Oak & Ash.

East On Rand^m. between Sec. 22 & 27, T5. N. R2 E.
 40.00 Set temp^y. of Sec. post
 79.75 Intersected the N & S. line 64 lks. N. of post.
 Land 2^d. rate, Beech, Oak, Elm, Sugar &c

West On true line between Sec. 22 & 27, T5. N. R2 E.
 39.87 1/2 Set of Sec. post at average dist. from which
 an Elm 12 in. dia. bears N 8 E 20 lks. dist. of
 a do 10 " " " S 8 W 27 " "
 79.75 to Sec. Corner.

North Between Sec. 21 & 22, T5. N. R2 E.
 30.32 a B. Walnut 14 in. dia. in the line
 40.00 Set the of Sec. post, from which
 an Ash 12 in. dia. bears N 22 W 25 lks. dist. of
 a do 14 " " " S 80 E 35 " "
 54.45 a W. Oak 18 " " in the line
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a B. Walnut 18 in. dia. bears N 5 E 27 lks. dist. of
 a do 24 " " " S 33 E 12 " "
 Land 1st. rate Ash, Walnut, Beech, Sugar, Spice &c.

East On Rand^m. betwⁿ. Sec. 15 & 22, T5. N. R2 E.
 40.00 Set temp^y. of Sec. post
 79.50 Intersected the N & S. line 84 lks. N. of post.
 Land 1st. rate, Ash, Sugar, Walnut &c.

T15N R2E 2^d Mer. Indiana

West On true line between Sec. 15 & 22, T15N R2E.
 39.75 Set the q. Sec. post at average dist. from which
 a Beech 20 in. diam. bear N19W 20 lks. dist. of
 a Do 14 " " " S7E 22 " "
 79.50 to Section Corner.

North Between Sec. 15 & 16, T15N R2E, 2^d Mer.
 17.85 a Beech 12 in. diam. in the line
 34.45 a Do 12 " " " "
 40.00 Set the q. Sec. post from which
 a Buckeye 8 in. diam. bear N29E 34 lks. dist.
 a Beech 18 " " " S45W 4 " "
 48.75 a Beech 20 " " in the line
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a W. Oak 10 in. diam. bear N63W 24 lks. dist. of
 a Do 12 " " " S38E 6 " "
 Land 2^d rate, Oak, Beech, Sugar &c.

East On Random between Sec. 10 & 15, T15N R2E.
 40.00 Set temp. q. Sec. post
 79.50 Intersected the N & S. line 3 lks. N. of post
 Land 2^d rate Aspen, Oak, Elm &c.

West On true line between Sec. 10 & 15, T15N R2E.
 39.75 Set q. Sec. post at average dist. from which
 an Aspen 14 in. diam. bear N11E 11 lks. dist. of
 an Elm 8 " " " S11W 27 " "
 79.50 to Sec. Corner.

North Between Sec. 9 & 10, T15N R2E.
 11.10 a Sugar 24 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. diam. bear N22E 20 lks. dist. of
 vol. 3.

T15 N R2 E 2^d Mer. Indiana

a Beech 14 in. diam. bearing S 37 W 40 lks. dist. of
 78.60 a Hickory 12 " " in the line
 80.00 Set a post Cor. to Sec. 3, 4, 8 & 9, from which
 a Buckeye 5 in. diam. bearing N 51 E 22 lks. dist. of
 a Sugar 8 " " " S 48 E 47 " "
 Land 2^d rate Beech, Oak, Ash &c.

East On Random between Sec. 3 & 10, T15 N. R2 E.
 40.00 Set temp. q. Sec. post
 79.65 Intersected the N & S. line 12 lks. S. of post
 Land 2^d rate Beech, Oak &c. July 29th 1820

West On true line between Sec. 3 & 10, T15 N. R2 E.
 39.82 1/2 Set q. Sec. post at average dist. from which
 a P. Walnut 4 in. diam. bearing S 31 W 5 lks. dist. of
 an Elm 14 " " " N 21 E 25 " "
 79.65 to Sec. Corner.

North Between Sec. 3 & 4, T15 N. R2 E.
 14.50 a Stream 20 lks. wide Cr. S. W.
 20.37 a P. Oak 18 in. diam. in the line
 40.00 Set the q. Sec. post from which
 a Sugar 10 in. diam. bearing N 88 E 25 lks. dist. of
 a Ho 12 " " " S 84 W 36 " "
 49.44 a Poplar 30 " " in the line
 71.00 a Stream 20 lks. wide Cr. S. E.
 81.70 Intersected the N. boundary 289 lks. N. of post
 Set a post Cor. to Sec. 3 & 4, from which
 a Beech 10 in. diam. bearing N 41 E 10 lks. dist. of
 an Ash 10 " " " S 36 W 42 " "
 Land 2^d rate, Beech, Oak, Sugar, Elm &c.

North Between Sec. 32 & 33, T15 N. R2 E.

T15 N. R2 E. 2^d. Mer. Indiana

- 30.30 a Sugar 14 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Beech 18 in. dia. bear N37 E 13 lks. dist. of
 a Do 10 " " " N49 W 15 " "
 44.50 a W. Oak 14 " " in the line
 57.00 a Stream 25 lks. wide Cr. S. W.
 80.00 Let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Buckeye 10 in. dia. bear N86 E 19 lks. dist. of
 a Do 5 " " " N60 W 24 " "
 Land 2^d rate Beech, Ash, Oak, Spruce.

- East on Rand^m, betw^m Sec. 28 & 33, T15 N. R2 E.
 2.00 a Stream 25 lks. wide Cr. S.
 40.00 Let temp^y. q. Sec. post
 80.06 Intersected the N & S. line 80 lks. S. of the post.
 Land 2^d rate, Beech, Oak, Hickory, &c.

- West On true line between Sec. 28 & 33, T15 N. R2 E.
 40.03 Let q. Sec. post at average dist. from which
 a Hickory 12 in. dia. bear N61 W 20 lks. dist. of
 a Do 10 " " " N40 E 22 " "
 80.06 to Sec. Corner

- North Between Sec. 28 & 29, T15 N. R2 E.
 3.00 a Stream 30 lks. wide Cr. S. E.
 20.00 Same 30 lks. " " S. W.
 23.00 Same 30 " " " S. E.
 40.00 Let the q. Sec. post, ^{in Stream} from which
 a Willow 10 in. dia. bear N43 W 17 lks. dist. of
 a Hornbeam 3 " " " S50 E 27 " "
 41.50 a Pecanow 36 " " in the line
 80.00 Let a post Cor. to Sec. 20, 21, 28 & 29, ^{in a Stream} from which
 a Pecanow 16 in. dia. bear N89 W 14 lks. dist. of.

T¹⁵ N. R² E. 2^d. Mer. Indiana

a Sycamore 10 in. dia. beam N 56 W 23 lbs. dist. of
Land 2^d. rate, Beech, Oak, Sugar &c.

East On Rand^m. betw^m. Sec^s. 21 & 28, T¹⁵ N. R² E.
40.00 Let temp^y. q^r. Sec. post
80.10 Intersected the N & S. line at the post
Land 2^d. rate, Oak, Beech, Elm & Hickory

West On true line, betw^m. Sec^s. 21 & 28, T¹⁵ N. R² E.
40.05 Let q^r. Sec. post, from which
a W. Oak 12 in. dia. beam N 7 E 30 lbs. dist. of
a Hornbeam 8 " " " N 55 W 20 " "
80.10 to Sec. Corner

North Between Sec^s. 20 & 21, T¹⁵ N. R² E. 2^d. Mer.
20.00 an Ash 14 in. dia. in the line
40.00 Let the q^r. Sec. post, from which
a Beech 10 in. dia. beam N 4 W 23 lbs. dist. of
a do 18 " " " S 24 E 7 " "
54.50 a B. Walnut 18 " " in the line
80.00 Let a post Cor. to Sec^s. 16, 17, 20 & 21, from which
a W. Thorn 8 in. dia. beam N 13 E 15 lbs. dist. of
an Elm 4 " " " S 39 W 6 " "
Land 2^d. rate, Oak, Beech, Elm, Ash &c
July 30th 1820

East On Random between Sec^s. 16 & 21, T¹⁵ N. R² E.
30.00 a Stream 25 lbs. wide Cr. South
40.00 Let temp^y. q^r. Sec. post
80.00 Intersected the N & S. line 25 lbs. S. of post
Land 2^d. rate, Beech, Ash, Sugar, thick brush

West On true line between Sec^s. 16 & 21, T¹⁵ N. R² E.

T15 N. R2 E. 2^d. Mer. Indiana

40.00 Set q. Sec. post at average dist. from which
a Beech 14 in. dia. bear S51W17 lks. dist. of
an Ironwood 8 " " " N14E18 " "
80.00 to Sec. Corner.

North Between Secs. 16 & 17, T15 N. R2 E.

20.27 a Cherry 12 in. dia. in the line

40.00 Set the q. Sec. post, from which
an Ash 8 in dia. bear N59E26 lks. dist. of
a Do 7 " " " N24W43 " "

52.09 an Aspen 14 " " in the line

59.45 a Beech 20 " " " " "

80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which
a Beech 20 in. dia. bear N28W6 lks. dist. of
a Do 12 " " " N10W15 " "
Land 2^d. rate -

East On Random betw. Secs. 9 & 16, T15 N. R2 E.

40.00 Set temp. q. Sec. post

55.50 a stream 25 lks. wide Cr. S.

79.75 Intersected the N & S. line 18 lks. S. of the post
Land 2^d. rate Beech, Oak, Ash &c

West On true line betw. Secs. 9 & 16, T15 N. R2 E.

39.87 1/2 Set q. Sec. post at average dist. from which
an Elm 8 in. dia. bear S20W19 lks. dist. of
a Hackberry 8 " " " N29E25 " "

79.75 to Sec. Corner.

North Between Secs. 8 & 9, T15 N. R2 E.

16.37 an Ash 18 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Sugar 10 in. dia. bear N55W17 lks. dist. of

T15 N. R2 E. 2^d. Mer. Indiana

a Sugar 16 in. dia. bran N42 E 11 lks. dist. of
 60.17 a Beech 20 " " in the line
 80.00 Let a post Cor. to Sec. 445, 8 & 9, from which
 a Sugar 14 in. dia. bran N87 W 12 lks. dist. of
 a Do 12 " " " N71 E 9 " "
 Land 2^d rate, Beech, Oak, Hickory &c.

East On Rand. m. betw. Sec. 449, T15 N. R2 E.
 40.00 Let temp. q. Sec. post
 67.50 a stream 20 lks. wide Cr. South
 79.75 Intersected the N & S. line 30 lks. S. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 449, T15 N. R2 E.
 39.87 1/2 Let q. Sec. post at average dist. from which
 an Ironwood 6 in. dia. bran S55 E 6 lks. dist. of
 a Beech 8 " " " N7 W 12 " "
 79.75 to Sec. Corner.

North Between Sec. 445, T15 N. R2 E.
 34.38 an Ash 12 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 an Ash 8 in. dia. bran N12 E 12 lks. dist. of
 a Beech 14 " " " N16 E 34 " "
 54.27 a Beech 12 " " in the line
 81.75 Intersected the N. boundary 23 1/2 lks. N. of post.
 Let a post Cor. to Sec. 445, from which
 a Beech 10 in. dia. bran N67 E 11 lks. dist. of
 a Do 5 " " " N30 W 8 " "
 Land 2^d rate, Beech, Oak, Sugar, close brush.

North Between Sec. 31 & 32, T15 N. R2 E.
 13.15 a Beech 14 in. dia. stand, in the line

T15N R2E 2nd Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 14 mi. dist. bear N48 E 25 lks. dist. of
a Do 10 " " " S26 W 47 " "
- 62.25 a Hickory 18 " " in the line
- 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
a Sugar 12 mi. dist. bear N55 W 26 lks. dist. of
a Hickory 20 " " " S55 E 27 " "
Land 2nd rate Beech, Oak, Ash &c.

- East On Rand^m. betwⁿ Secs. 29 & 32, T15N. R2E.
- 40.00 Set temp^y. q. Sec. post
- 79.70 Intersected, the N & S. line 140 lks. N. of the post
Land 2nd rate, Beech, Oak, Ash &c

- West On true line betwⁿ Secs. 29 & 32, T15N. R2E.
- 39.85 Set the q. Sec. post at average dist. from which
a Hickory 14 mi. dist. bear N45 W 20 lks. dist. of
a Do 4 " " " N32 E 24 " "
- 79.70 to Sec. Corner.

- West Between Secs. 30 & 31, T15N. R2E.
- 40.00 Set the q. Sec. post, from which
a W. Oak 36 mi. dist. bear N36 W 16 lks. dist. of
a Sugar 10 " " " S43 E 5 " "
- 67.75 Intersected the W. boundary at the post
Land level 2nd rate, timber Oak, Beech, Sugar &c.
August 1st 1890

- North Between Secs. 29 & 30, T15N. R2E.
- 21.00 a W. Oak 48 mi. dist. in the line
- 40.00 Set the q. Sec. post, from which
an Elm, 16 mi. dist. bear N84 W 21 lks. dist. of
a Do 12 " " " S69 E 24 " "

T15 N. R2 E. 2^d. Mer. Indiana

58.72 a Beech 12 mi. diam. in the line
 80.00 let a post Cor. to Secs. 19, 20, 29 & 30, from which
 a Buckeye 10 mi. diam. bran North 14 lks. dist. of
 a Beech 12 " " " S 21 W 17 " "
 Land 2^d rate Beech, Oak, Hickory &c

East On Land^m. between Secs. 20 & 29, T15 N. R2 E.

40.00 let temp. q. Sec. post
 79.85 intersected the N & S. line 15 lks. N. of post
 (description omitted)

Nest On true line betw. Secs. 20 & 29, T15 N. R2 E.

39.92 1/2 let q. Sec. post at average dist. from which
 a Buckeye 10 mi. diam. bran N 58 E 4 lks. dist. of
 a Sugar 12 " " " S 62 W 2 " "
 79.85 to Sec. Corner.

Nest Between Secs. 19 & 30, T15 N. R2 E.

40.00 let q. Sec. post, from which
 a Beech 10 mi. diam. bran N 88 W 28 lks. dist. of
 a Do 18 " " " N 78 E 9
 67.40 intersected the W. boundary 68 lks. N. of post
 let a post Cor. to Secs. 19 & 30, from which
 a Beech 14 mi. diam. bran N 10 W 13 lks. dist. of
 a Hickory 20 " " " S 39 E 45 " "
 Land 2^d rate Beech, Oak, Hickory & brush

North Between Secs. 19 & 20, T15 N. R2 E.

6.66 a W. Oak 30 mi. diam. in the line
 40.00 let the q. Sec. post, from which
 a Beech 12 mi. diam. bran N 37 W 9 lks. dist. of
 a Do 10 " " " N 85 E 17 " "
 80.00 let a post Cor. to Secs. 17, 18, 19 & 20, from which

T15N R2E, 2^d Mer. Indiana

at P. Oak 10 m. dia. brang N24E 20 lks. dist. of
a Hickory 4 " " " S34W 19 " "
Land 2^d rate Beech, Oak, Hickory &c.

East On Rand^m. between Secs. 17 & 20, T15N, R2E.
40.00 Let temp^y. of Sec. post
79.78 Intersected the N & S. line at the post
Land 2^d rate Beech, Oak, Hickory &c.

West On true line between Secs. 17 & 20, T15N, R2E.
39.89 Let of Sec. post at average dist. from which
a Beech 14 m. dia. brang N82W 18 lks. dist. of
a Hickory 4 " " " N88E 4 " "
79.78 to Sec. Corner.

West Between Secs. 18 & 19, T15N, R2E.
40.00 Let the of Sec. post, from which
a Beech 12 m. dia. brang N61W 5 lks. dist. of
an Elm 20 " " " N7W 4 " "
67.00 Intersected the W. boundary 8 lks. N. of post
Let a post Cor. to Secs. 18 & 19, from which
a Beech 14 m. dia. brang S49E 15 lks. dist. of
a Do 20 " " " N32W 25 " "
Land 2^d rate Oak, W. Ash, Hickory &c.

North Between Secs. 17 & 18, T15N, R2E.
24.74 a Beech 14 m. dia. in the line
40.00 Let the of Sec. post, from which
an Ash 3 m. dia. brang N16E 9 lks. dist. of
a Do 3 " " " S16W 9 " "
80.00 Let a post Cor. to Secs. 7, 8, 17 & 18 from which
a Hickory 14 m. dia. brang N38E 11 lks. dist. of
a Do 18 " " " S54W 26 " "

T15 N. R2 E. T. Mer. Indiana
Land 2nd rate Oak, Beech, W. Ash &c.

East On Random between Sec. 8 & 17

40.00 Set temp. q. Sec. post

79.50 Intersected the N & S line 92 lks. S. of post
Land 2nd rate timbered as before. Aug. 2nd

West On true line between Sec. 8 & 17, T15 N. R2 E.

39.75 Set q. Sec. post at average dist. from which
a W. Oak 30 in. dia. tray 138 E 18 lks. dist. of
a Sugar 8 " " " N 39 W 19 " "

79.50 to Sec. Corner.

West Between Sec. 7 & 18, T15 N. R2 E.

40.00 Set the q. Sec. post, from which
a Hickory 10 in. dia. tray N 57 W 9 lks. dist. of
a Hornbeam 4 " " " S 59 W 5 " "

67.22 Intersected W. boundary 32 lks. S. of post
Set a post Cor. to Sec. 7 & 18, from which
a Beech 12 in. dia. tray N 21 W 32 lks. dist. of
a Do 14 " " " S 48 E 21 " "
Land 2nd rate Beech, Oak &c.

North Between Sec. 7 & 8, T15 N. R2 E.

13.50 a W. Oak 24 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. tray S 76 E 9 lks. dist. of
a Hickory 12 " " " N 84 W 52 " "

49.58 a Hickory 14 " " in the line

80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 18 in. dia. tray N 71 E 17 lks. dist. of
a Do 10 " " " S 88 W 40 " "
Land 2nd rate, Beech, Oak, Hickory &c.

T5 N. R2 E. 2nd Mer. Indiana

East On Rand. between Sec. 5 & 8, T5 N. R2 E.
 40.00 At temp. q. Sec. post
 79.80 Intersected the S. line, 10 ch. N. of post
 Land 2nd rate timber as before

West On true line between Sec. 5 & 8, T5 N. R2 E.
 39.90 At q. Sec. post at average dist. from which
 a Beech 10 m. dia. bray 140 E 12 ch. dist. of
 a Do 14 " " " N60 W 21 " "
 79.80 to Sec. Corner.

West Between Sec. 6 & 7, T5 N. R2 E.
 40.00 At the q. Sec. post, from which
 an Ash 18 m. dia. bray 156 W 31 ch. dist. of
 a Beech 18 " " " N55 E 24 " "
 67.73 Intersected the W. boundary 12 ch. N. of post
 Set a post Cor. to Sec. 6 & 7, from which
 a Hornbeam 8 m. dia. bray 127 E 27 ch. dist. of
 an Ash 18 " " " N40 W 4 " "
 Land 2nd rate Oak, Beech, W. Ash, Hickory &c

North Between Sec. 5 & 6, T5 N. R2 E.
 24.58 a Beech 20 m. dia. in the line
 40.00 At the q. Sec. post from which
 a Beech 10 m. dia. bray 113 E 16 ch. dist. of
 an Elm 12 " " " S22 E 30 " "
 68.41 a Beech 10 " " in the line
 80.21 Intersected the N. boundary 249 W. of post
 Set a post Cor. to Sec. 5 & 6, from which
 a Sugar 10 m. dia. bray 158 E 17 ch. dist. of
 a Beech 12 " " " S89 W 31 " "
 Land 2nd rate, Beech, Oak, Elm, Sugar &c
 August 4th 1820

T^h 15th N. R² E. T^h Mer. Indiana

Surveyed by John M. Donald
Dep. Surveyor.
Comp^d

I certify that the foregoing transcript of field notes of Township N^o 15 N. Range N^o 2 E. T^h Mer. Indiana has been Comp^d with the original notes within office and found to be Correct.

Surveyor General's Office
Cincinnati, March 29. 1846

E. S. Peaine
Sur. Genl.